

# IP Telephone

## IP Phone

---

### Variants

C60S C60SP

### Details

#### C60S / C60SP IP Phone

Category	Specification
Model	C60S / C60SP
Product Type	SIP IP Phone
Compatibility	Dinstar UC / IPPBX, 3CX, Asterisk, Yeastar, Xorcom, VoIP.ms
SIP Protocol	SIP v1 (RFC2543), SIP v2 (RFC3261), SIP over TLS, SRTP
SIP Accounts	2 Accounts
Call Features	Call Waiting, Forward, Hold, Mute, DND, Transfer (Blind/Attended), Redial, Call Return
Advanced Call	5-way Conference, Auto-answer, Auto-redial, Speed Dial, Hotline
PBX Features	SMS, Voicemail, MWI, Music on Hold, Intercom, Multicast
Call Control	Call Pickup, Group Pickup, Anonymous Call, Call Rejection
Audio	HD Voice, Full-duplex Speaker
Wideband Codec	G.722, OPUS-WB
Narrowband Codec	PCMA, PCMU, G.729, G.723, G.726, AMR, OPUS, iLBC

<b>Category</b>	<b>Specification</b>
Voice Features	Echo Cancellation, Jitter Buffer, VAD, CNG
Network Protocols	TCP/IP, UDP, RTP/RTCP, HTTP/HTTPS, FTP/TFTP
Network Services	DHCP, DNS, NTP, STUN, LLDP, OpenVPN, 802.1X
DTMF	In-band, RFC2833, SIP INFO
Management	Web, SNMP, TR069, Syslog
Provisioning	Auto-provisioning via FTP/TFTP/HTTP/HTTPS/PnP
Display	132 x 64 Graphic LCD
Ethernet Ports	2 x RJ45 10/100 Mbps
Power Supply	5V DC Adapter / PoE
Power Consumption	1.4 W
Interfaces	Handset RJ9, Headset RJ9
Installation	Desktop / Wall Mount
Dimensions	180 x 192 x 36 mm
Weight	370 g (device), 60 g (stand)
Operating Temp	0°C to 40°C
Humidity	10% – 95% (Non-condensing)
Phonebook	1000 Groups
Call Log	100 Records
Blacklist	100 Groups
DSS Keys	Programmable
Extra Features	XML Browser, Action URL/URI, Keyboard Lock
Languages	Multi-language

Category	Specification
Headset Support	EHS Wireless Headset (Plantronics etc.)

---

© 2026 | Phone: +977 9851248419 | Email: [info@dtechtrading.com](mailto:info@dtechtrading.com) | Website: <https://demoshop.com>. All rights reserved.