

# Media Converter AC Port

---

Media Converter AC Port

## Variants

DTMC-200 1G RJ45 -1 Port

## Details

# Media Converter DTMC-200

Category	Specification
Model	DTMC-200
Product Type	Gigabit Ethernet Media Converter
Application	Ethernet to Fiber Conversion (ISP, FTTH, LAN, Campus)
Ethernet Port	1 × RJ45 (10/100/1000 Mbps Auto-Negotiation)
Fiber Port	1 × SC / SFP (1000 Mbps)
Supported Standards	IEEE 802.3ab (1000Base-T), IEEE 802.3z (1000Base-SX/LX)
Fiber Type	Multi-mode / Single-mode Fiber

Category	Specification
Wavelength Options	850 nm / 1310 nm / 1550 nm
Transmission Distance	MM: 220 m / 550 m, SM: 10 km to 100 km
Duplex Mode	Full / Half Duplex
Flow Control	IEEE 802.3x (Full Duplex), Backpressure (Half Duplex)
Packet Size	Supports 1600-byte packets
MDI/MDIX	Auto-crossover supported
Installation	Plug & Play
Link Alarm	Supported
LED Indicators	Power, FDX, FX, Link/Act, 1000, 100
Cable Type (RJ45)	Cat5 / Cat5e UTP (Max 100 m)
Fiber Connection	MM: 50/125 $\mu$ m, 62.5/125 $\mu$ m; SM: 9/125 $\mu$ m
Power Supply	External AC Adapter
Power Options	Internal / External power supported
Compliance	FCC Class A, CE

Category	Specific
Safety	Designed for commercial environment use