Comway Fiber Cleaver

Comway Fiber Cleaver

Variants

C109 CC-03 C108

Details

PROFESSIONAL FIBER CLEAVER

High Precision • Semi-Automatic • Up to 48,000 Cleaves • SM / MM Fiber

Product Overview

The **COMWAY Fiber Cleaver C Series** is a professional high-precision optical fiber cleaver designed for fusion splicing, FTTH deployment, ISP maintenance, and optical fiber installation work.

Built with a **durable metal body**, precision V-groove fiber holder, and rotatable multi-position blade, the C Series provides stable and accurate fiber cleaving for low splice loss applications.

FIBER TYPE

SM / MM

BLADE LIFE

48,000

Up to Cleaves

FIBER DIAMETER

125 ?m

OPERATION

Semi-Auto

Key Features

- ? High-Precision Fiber Cleaving
- ? Supports SM & MM Fiber
- ? Durable Metal Construction
- ? Semi-Automatic Slider Operation
- ? Rotatable Multi-Position Blade
- ? Precision V-Groove Fiber Holder
- ? Low Cleave Angle
- ? Blade Life Up to 48,000 Cleaves

Technical Specifications

Parameter	Specification

Brand	COMWAY
Model Series	C Series Fiber Cleaver
Fiber Type	SM / MM (Single Fiber)
Fiber Diameter	125 ?m
Coating Diameter	0.25 mm / 0.9 mm / 3.0 mm
Cleave Length	5 – 24 mm (Adjustable)
Cleave Angle	? 0.5° – 0.8°
Blade Life	**Up to 48,000 Cleaves**
Operation Type	Semi-Automatic (Slider Type)
Blade Type	Rotatable Multi-Position Blade
Clamping System	Precision V-Groove Fiber Holder
Body Material	Compact & Durable Metal Body
Application	Fusion Splicing / FTTH / Fiber Maintenance

Applications

- Fusion Splicing
- FTTH Installation
- ISP Maintenance
- Fiber Repair

- Data Center Cabling
- Telecom Networks
- Indoor & Outdoor Fiber Projects

Cleaver Maintenance

For consistent cleaving quality, keep the fiber holder and V-groove clean and rotate the blade position when cutting performance starts to decrease. Proper cleaning and blade maintenance help achieve accurate cleaves and longer blade life.

© 2026 | Phone: +977 9851248419 | Email: info@dtechtrading.com | Website: https://demoshop.com. All rights reserved.