

# Clip Wire (Bending wire)

Clip Wire (Bending wire)

## Variants

1MM 2MM

## Details

## Clip Wire 1/2mm (Bending Wire)

The 1/2mm Clip Wire (Bending Wire) is a lightweight, flexible, and durable metal wire designed for fiber optic installations, electrical work, and general fastening applications. It offers excellent flexibility for easy shaping while maintaining reliable holding strength for cable management and support tasks.

## General Specifications

| Parameter      | Specification                                 |
|----------------|---|
| Product Name   | Clip Wire 1/2mm (Bending Wire)                |
| Diameter       | 0.5 mm (1/2 mm)                               |
| Material       | Galvanized Steel / Stainless Steel            |
| Surface Finish | Smooth, corrosion-resistant                   |
| Flexibility    | High (easy bending and shaping)               |
| Strength       | Moderate tensile strength with stable holding |

## Additional Specifications

| Parameter             | Details         |
|-----------------------|-----------------|
| Length                | 100 Yard        |
| Wire Diameter (Outer) | 1 mm            |
| Steel Core Diameter   | 0.5 mm          |
| Material Type         | Stainless Steel |
| Color                 | Black           |

## Key Features

| Feature  |
|--|
| Corrosion-resistant material suitable for indoor and outdoor use |
| 0.5 mm thickness ensures high flexibility for precise bending    |
| Easy to cut, handle, and shape without cracking                  |
| Maintains firm hold after twisting or fastening                  |
| Compatible with hooks, clamps, and cable management accessories  |

## Applications

| Use Case   |
|--|
| Fiber optic and telecommunication cable installation   |
| Fastening and bundling drop cables and patch cords     |
| Overhead cable support using hooks and wall clamps     |
| Electrical wiring, fencing, and general fastening work |

