

D-TECh Fiber Media converter chassis

Media Converter Chassis 14-slot 2U

D-TECh Fiber Media converter chassis

Variants

2U Slot 14 Dual Power Supply 24U

Details

Overview of the of the 2U 19" Rack-mount Chassis:

The Chassis-based Media Converters include a number of independent/card media converters and a chassis capable of housing up to 14/16 media converters. You can start with single media converters, each equipped with its own housing and AC power adapter. When you require more room, you can mount a chassis in your equipment rack and install your media converters in the chassis; the media converters can be slid into the chassis.

2U 19" 14/16-Slot Rackmount Chassis:

The 2U Rackmount Chassis is specially designed for accommodating chassis-based Media Converters. It is a standard 19-inch 2U-height rackmount chassis which can be suitably mounted in the standard 19-inch rack. The chassis lets you install multiple media converters in an equipment rack together with the network devices for which they provide media conversion. This provides for space saving, and the cabling will look neat. The chassis comes with its own universal AC-to-DC power supply. For maximum power availability, an optional redundant power supply is available for installation in the chassis.

Product Description:

Features of the media converter chassis:

- 14/16 bays to house up to 14/16 media converters
- Standard 19-inch rack-mountable, 2U height
- Non-stop operation & minimal downtime
- Allows hot-swapping of media converters
- Hot swappable redundant power supplies
- Cooling fans on back side (together with power supplies)

Second AC to DC power supply for load-sharing purposes (Optional)

Media converter power isolation for electrical isolation from each bay

Offers over-voltage and over-current protections

Specifications of the Media Converter Chassis:

Power Supply	Input: 100-240V~50/60Hz 3.0A(Max) Output: +9.5VDC, 9.5A (max.) Vripple: ?50mv Noise: ?100mv
Operating Temperature	0°C~40°C
Storage Temperature	-40°C~70°C
Operating Humidity	10%~90% non-condensing
Storage Humidity	5%~90% non-condensing
Dimensions (WX DX H)	(490 x 230 x 90 mm) Standard 19-Inch, 2U height
Weight	6Kg

[**D-TECH TRADING Google review**](#)

[**D-TECH TRADING FACE BOOK**](#)

[**D-TECH TRADING Youtube**](#)