Cleaver Blade of Tumtec

Cleaver Blade of Tumtec

Variants

Tumtec Blade

Details

The **Tumtec Fiber Cleaver Blade** is an original replacement blade designed for Tumtec fiber cleavers, delivering high-precision fiber cleaving performance for fusion splicing applications. Manufactured using premium-grade precision steel, it ensures clean, consistent, and low-loss cleaves for FTTH, ISP, telecom, and data center projects.

With a **12-position rotating blade design** and a service life of up to **48,000 cleaves**, this blade offers long-term reliability and excellent cutting quality for professional fiber optic technicians.

Blade Positions

12 Channels

Blade Type

Original

Blade Life

48,000+

Application

Fusion Splicing

Key Features

? Original Tumtec Cleaver Replacement Blade

? 12 Rotating Cutting Positions

? Up to 48,000 Fiber Cleaves

? Precision Low-Loss Fiber Cutting

? Stable and Consistent Cleaving Quality

? Easy Installation and Replacement

Technical Specifications

Category	Specification
Product Name	Tumtec Fiber Cleaver Blade
Blade Type	Original Replacement Blade
Compatible Brand	Tumtec Fiber Cleaver
Blade Channels	12 Positions

Category	Specification
Blade Material	High Precision Steel
Blade Life	Up to 48,000 Cleaves
Cleave Quality	High Precision & Low Splice Loss
Rotation Method	Multi-Position Rotating Blade
Installation	Easy Replacement
Application	Fusion Splicing, FTTH, ISP, Telecom & Testing

Available Fiber Cleaver Blades

At **D-TECH**, we supply original and compatible fiber cleaver blades for most leading fusion splicer and cleaver brands worldwide.

Brand	Available Blade Options
COMWAY	1-12, 1-16, 1-24 Channel Blades
Fujikura	Original & Compatible Blades
INNO	Original & Compatible Blades
Sumitomo	Original & Compatible Blades
Tumtec	Original 12-Position Blade
Others	Available on Request

D-TECH Fiber Cleaver Blade Supply

We supply original and compatible cleaver blades for COMWAY, Fujikura, INNO, Sumitomo, Tumtec, Skycom, FiberFox, and many other brands. Available blade channel options include **1-12, 1-16, and 1-24 positions** for different cleaver models and applications.

© 2026 | Phone: +977 9851248419 | Email: info@dtechtrading.com | Website: https://demoshop.com. All rights reserved.