

# WIFI-6 AC1200 Full Router JIR-AC666R2

---

WIFI-6 AC1200 Full Router JIR-AC666R2

## Details

The **WiFi-6 AC1200 Full Router JIR-AC666R2** delivers fast and stable wireless performance for home and office networks. It supports dual-band connectivity with improved capacity, lower latency, and reduced network congestion.

With **MU-MIMO**, **OFDMA**, Beamforming, and 4 external antennas, this router provides reliable Wi-Fi coverage and smooth connectivity for multiple devices at the same time.

Speed

**1200Mbps**

Band

**2.4G + 5G**

Antenna

**4 × 5dBi**

Ports

**Gigabit**

## Key Features

### Wi-Fi Standard

IEEE 802.11 b/g/n/ac

### Dual Band Speed

Up to 1200Mbps

### Technology

MU-MIMO, OFDMA, 2T2R

### Processor

Up to 1.0GHz

### Coverage

Beamforming + 4 Antennas

### Security

IP/MAC Filtering, SSID Hide

## Technical Specifications

Parameter	Specification
Chipset	RTL8197FH-VG4 + RTL8812FR + RTL8367RB-VC
Flash	8 MB
Memory	64 MB DDR2
Wireless Rate	2.4GHz: 300Mbps / 5GHz: 867Mbps
Antenna	4 x 5dBi External Antennas

Parameter	Specification
<b>Interface</b>	1 x GE WAN + 3 x GE LAN
<b>Buttons</b>	1 x Reset, 1 x WPS
<b>Indicators</b>	Power, WAN, 2.4G, 5G, WPS
<b>MIMO</b>	MU-MIMO Supported
<b>Work Mode</b>	Routing Mode, AP Mode, Relay Mode
<b>Management</b>	Web Management
<b>MTBF</b>	> 20,000 Hours
<b>Power Consumption</b>	? 9W
<b>Power Adapter</b>	DC 12V / 1A
<b>Working Temperature</b>	0°C to +40°C
<b>Storage Temperature</b>	-40°C to +70°C
<b>Working Humidity</b>	10% ~ 95%, Non-condensing
<b>Storage Humidity</b>	5% ~ 95%, Non-condensing

## Applications

Home Wi-Fi

Office Network

Small Business

CCTV Network

Internet Sharing

**Note:** For best performance, place the router in an open area and keep antennas properly positioned for wider Wi-Fi coverage.

